


DOE FILE COPY

DOE/SF/10501-302  
(STMPO-603)

83-RD-114

# Wildlife Interactions At Solar One Facility, Daggett, California: Fall 1982 Interim Report

OPEN  
HTR  
TIC ✓



By: William D. Wagner, Robert L. McKernan,  
Patricia A. Flanagan, and Ralph W. Schreiber

Report for Research and Development  
Southern California Edison Company  
Rosemead, California

September, 1983

WILDLIFE INTERACTIONS AT SOLAR ONE FACILITY,  
DAGGETT, CALIFORNIA: FALL 1982 INTERIM REPORT

BY: WILLIAM D. WAGNER, ROBERT L. MCKERNAN,  
PATRICIA A. FLANAGAN AND RALPH W. SCHREIBER

SECTION OF ORNITHOLOGY  
NATURAL HISTORY MUSEUM FOUNDATION, LOS ANGELES COUNTY  
LOS ANGELES, CALIFORNIA 90007

REPORT FOR RESEARCH AND DEVELOPMENT  
SOUTHERN CALIFORNIA EDISON COMPANY  
ROSEMEAD, CALIFORNIA

SEPTEMBER, 1983

## ACKNOWLEDGMENTS

We are grateful to Joe Reeves (Research and Development, SCE), Terry Sciarrotta (SCE Project Manager, Bird Migration), Paul Skvarna (Project Manager of the Solar One facility), Doug Elliott (D.O.E. Project Director), and all other Solar One personnel for their valuable assistance on this project. Particular thanks go to Kris McQueen for sharing his photographic skills and Gene Gordon and Clarence Saunders, security officers for recording the weather data. A special thanks goes to Buzz Sawyer of the SCE Cool Water Plant for sharing his knowledge of bird distribution in the area and to Chris Nagano, entomologist at Los Angeles County Natural History Museum, for the time and expertise he provided. We also thank Michael McCrary for editorial comments and Ross Landry for graphic support.

## INTRODUCTION

Until recently the use of the sun's energy to produce electricity has never been carried out on a large commercial scale, and the environmental hazards of a fully operational solar generating power plant are virtually unknown. In spring 1982, the Southern California Edison Company (SCE) funded a short term wildlife survey of the Solar Central Receiver pilot plant (Solar One) near Barstow, California (McKernan et al. 1982; a report to Research and Development, SCE). The initial study established a methodology for assessing the potential impact of the facility on the environment and provided a preliminary evaluation of wildlife/solar facility interactions on a seasonal basis. This initial study indicated that avian and insect incinerations combined with avian collisions are the primary biological concern. In September 1982 a second survey was initiated to assess the environmental impact to avian populations during the fall migration period. Similar methodologies employed during the spring study were applied, including a predator/scavenger removal experiment. This present interim report summarizes data collected during the second survey period from mid-September through November 1982.

## STUDY AREA AND METHODS

Solar One is located in the Mojave Desert, near Daggett, approximately 24 km east of Barstow, California. The habitat immediately surrounding the Solar One facility consists of abandoned agricultural fields and salt bush scrub (Atriplex polycarpa) (Figures 1 and 2). This dominant native vegetation recolonized the land after it was cleared for agriculture in 1953. Additional fallow agricultural fields exist on the west side of the facility which have laid dormant since 1961. This area is slowly being invaded by weedy plants such as Chenopodium album, Erodium cicutarium and Salsola sp.. The east side of the facility consists of irrigated alfalfa fields. The dominant desert plant community surrounding this area is creosote bush scrub.

During fall 1982 the Solar One facility was surveyed on 3 consecutive days during 11 visits, totaling 32 days of observation: 16-18, 21-23, and 28-30 September; 6-8, 12-14, 20-22, and 26-28 October; and 3-4, 9-11, 18-19, and 23-24 November. During this period the solar plant was non-operational on 23, 28 September and 9, 11-26 November because of routine maintenance or inclement weather.

The fallow agricultural fields between Solar One and the evaporation ponds were censused once a day on at least two of the three days of a survey period. No attempt was made to count all birds in the area (Figures 1 and 2) but instead we concentrated on four locations:

1. The weedy agricultural field between the Cool Water ponds and the Solar One facility.





Figure 1.  
AERIAL VIEW OF SOLAR ONE AND COOL WATER GENERATING PLANT



2. A tamarisk row (Tamarix ramosissima), approximately 1 km long, just adjacent to the ephemeral Mojave River.
3. A small area along an access road with standing water and introduced weedy plants, including Ditch Beardgrass (Polypogon interruptus), London Rocket (Sisymbrium irio), Russian Thistle (Salsola sp.), Lamb's Quarters (Chenopodium album), Curly Dock (Rumex crispus), and Bermuda Grass (Cynodon dactylon).
4. A row of tamarisk trees, approximately 1 km long, adjacent to the Cool Water evaporation ponds.

The central receiving tower and standby region (Figure 3) were observed for avian and insect incinerations from several different vantage points depending on the time of day. This sampling was conducted for a period of 60 minutes once or twice a day. These observations included time of day, bird species and abundance, flight direction, location in relation to the tower (whether the birds flew over the heliostats, the cleared field, or outside the heliostat field), and other related behavioral activities or responses. A systematic search for dead or injured birds was conducted once a week through the heliostat field and along the peripheral fence. Inclement weather or plant facility activities prevented the survey on 20-22 and 26-28 October. Experiments were also conducted to determine the rate of scavenger removal from the heliostat field. Plant personnel aided in collecting and recording additional wildlife/plant interactions during non-censusing periods and volunteered many informative discussions.






Figure 3. Diagram of the receiving tower with standby region. There are four standby regions, located to the NW, SW, S and SE. They are focal points for the mirrors when the mirrors are not focused on the receiver.

## RESULTS AND DISCUSSION

### Bird Populations

During 26 days of censusing, 82 species of birds were observed, an increase of 22 species over spring 1982. Although the number of species was greater in fall, individual abundance was markedly lower than in the previous spring (Figure 4, Table 1). Data from this study indicates that September through mid-October is the peak period for fall migration of shorebirds and waterfowl at this locality, while passerine abundance peaked during mid-October (Table 2). Species composition in fall was primarily made up of migrant birds (84%), with most occurring in low numbers. An increase in foraging flocks was noted during late fall in the agricultural fields as certain passerine species tend to become gregarious during non-breeding periods (fall and winter) and exploit the rich food resource of this vegetation. These species include Horned Lark (Eremophila alpestris), Water Pipit (Anthus spinoletta), White-crowned Sparrow (Zonotrichia leucophrys), Savannah Sparrow (Passerculus sandwichensis), Red-winged Blackbird (Agelaius phoeniceus), Brewer's Blackbird (Euphagus cyanocephalus), and House Finch (Carpodacus mexicanus). These species also frequented the Solar One heliostat field periodically during foraging and loafing (Figure 2).

A marked increase in raptor populations was evident in October, as these birds began to migrate through the area. Raptor species




Figure 4. Species and bird abundance observed during the Solar One study, fall 1982.

recorded in this study include Northern Harrier (Circus cyaneus), Red-tailed Hawk (Buteo jamaicensis), Ferruginous Hawk (Buteo regalis), Golden Eagle (Aquila chrysaetos), American Kestrel (Falco sparverius), and Prairie Falcon (Falco mexicanus). These birds were periodically observed soaring over the heliostat field, although usually well above the receiving tower and standby regions. Occasionally a Prairie Falcon, Golden Eagle or Red-tailed Hawk flew very close to the hazardous standby regions, with no obvious evasive maneuvers or change of flight direction.

---

Table 1. Bird species and numbers at Solar One, Spring and Fall 1982

	<u>Spring</u>	<u>Fall</u>
Total species/census	60	82
Mean species/census	22.3	16.6
Mean individuals/census	366 (8-1040)*	274 (66-474)*
Peak abundance	1,040 (12 May)	474 (4 Nov.)
Resident species	12 (20%)	13 (16%)
Migrant species	48 (80%)	69 (84%)

\* Frequency range.

---

Early morning and evening flights of blackbirds and other passerines were observed daily over Solar One, with all flights occurring well above the heliostat field and standby regions (Table 3). These groups of birds utilized the irrigated agricultural fields primarily and were observed only infrequently at the Cool Water ponds and the Solar One facility grounds during the day (Figures 1 and 2).

Table 2. Numbers of birds censused by habitat near Solar One, September-November 1962.

Habitat*			Species												
AG	CP	S1	9-17	9-18	9-21	9-23	9-28	9-29	9-30	10-6	10-7	10-8	10-12	10-13	10-14
X			0	8	8	2	2	3	3	0	7	2	0	0	0
X			0	0	0	0	0	0	0	0	0	0	0	0	0
X			0	0	0	0	0	0	0	0	0	0	0	0	0
X			0	1	0	2	1	0	1	0	0	0	1	0	0
X			0	0	0	0	0	0	0	0	0	0	1	0	0
X			0	0	0	0	0	0	0	0	0	0	0	0	0
X			0	0	0	0	0	0	0	0	0	0	0	0	0
X			17	33	1	0	3	3	0	3	0	0	0	0	0
X			2	1	0	5	30	18	11	0	35	12	0	17	78
X			31	23	40	47	24	35	28	27	10	9	25	19	25
X			0	0	0	0	2	0	0	0	0	0	0	0	0
X			0	0	0	1	1	0	1	0	0	0	0	0	0
X			0	0	6	0	0	0	0	0	0	5	0	0	0
X			0	0	0	0	0	0	0	0	0	0	0	0	0
X			0	0	0	0	1	0	0	0	0	0	0	0	0
X			0	0	70	24	0	0	0	0	0	0	0	0	0
X	X	X	0	0	1	0	0	0	0	0	0	0	0	0	0
X	X		0	0	0	0	0	0	0	0	0	0	0	0	0
X		X	0	0	0	0	0	0	0	2	0	0	0	0	0
X		X	0	0	0	0	0	0	0	1	0	0	0	0	0
X	X	X	0	0	0	0	0	0	1	0	0	0	0	0	0
X	X	X	0	0	0	0	0	0	0	2	0	1	0	0	1
X			0	0	0	0	0	0	0	2	0	0	0	0	0
	X		0	0	0	1	0	0	0	0	0	0	0	0	0
	X		2	0	0	0	0	0	0	0	0	0	0	0	0
X	X		23	21	34	16	24	2	24	68	72	27	5	3	12

Table 2 Continued

Habitat*			Species												
AG	CP	S1	10-20	10-21	10-22	10-27	10-28	11-3	11-4	11-9	11-11	11-18	11-24	11-28	11-29
	X		0	0	0	0	0	0	0	0	0	0	0	0	0
	X		0	0	0	0	0	0	0	0	1	0	0	0	0
	X		0	0	0	0	0	0	0	0	0	0	0	1	0
	X		0	0	0	0	0	0	0	0	0	0	0	0	0
	X		0	0	0	0	0	0	0	0	0	0	0	0	0
	X		0	0	0	0	0	0	0	0	2	0	0	0	0
X	X		0	0	0	0	0	0	0	0	0	0	2	28	0
	X		0	0	0	0	5	0	0	0	0	0	10	0	7
	X		25	0	50	76	60	113	2	4	150	3	4	14	150
	X		0	0	0	0	7	0	0	0	0	0	0	0	0
	X		0	0	0	0	0	0	0	0	0	0	0	0	0
	X		0	0	0	0	0	0	0	0	0	0	0	0	0
	X		0	0	0	0	23	4	0	0	1	0	30	78	10
	X		0	0	0	3	0	0	0	0	2	0	1	0	0
	X		0	0	0	0	0	0	0	0	0	0	0	0	0
X			0	0	0	0	0	0	0	0	0	0	0	0	0
X	X	X	0	0	0	0	1	0	0	0	0	0	0	1	0
X	X		0	0	0	0	0	0	0	0	0	0	0	0	1
X		X	0	1	1	0	0	0	0	0	0	0	0	0	0
X		X	1	0	0	1	1	0	0	0	1	0	0	0	0
X		X	0	1	0	0	0	0	0	0	0	0	0	0	0
X	X	X	0	0	1	2	0	0	0	0	0	0	1	0	0
X	X	X	1	0	1	0	0	0	0	0	1	0	0	0	1
X			0	0	0	0	0	0	0	0	0	0	0	0	0
	X		0	0	0	0	0	0	0	0	0	0	0	0	0
	X		0	0	0	0	0	0	0	0	0	0	0	0	0
X	X		6	50	10	3	29	45	13	2	1	0	2	0	0

Table 2 Continued

Habitat\* Species

AG	CP	S1	9-17	9-18	9-21	9-23	9-28	9-29	9-30	10-6	10-7	10-8	10-12	10-13	10-14
X			0	0	7	0	0	0	0	0	0	0	0	0	0
X			0	2	0	2	3	0	0	0	1	0	0	0	0
X			0	5	1	2	0	0	0	0	4	0	0	0	0
X			0	2	1	1	0	0	0	0	0	0	0	0	0
X			0	0	0	0	0	1	0	0	0	0	0	0	0
X			0	0	6	4	5	2	2	0	0	0	0	0	0
X			11	0	5	2	34	16	14	23	6	2	3	0	1
X			91	86	109	64	148	128	89	145	91	104	23	98	47
X			3	4	0	0	0	3	0	0	0	1	0	0	0
X			0	0	0	0	1	1	1	0	0	0	0	0	0
X			0	0	0	0	0	0	0	0	0	0	0	0	0
X			0	0	0	0	0	0	0	3	6	3	9	2	3
X			81	97	48	38	28	3	6	1	0	0	0	0	0
X			0	0	0	0	0	0	0	0	0	0	0	0	0
X			0	0	0	5	0	0	17	3	2	0	40	16	16
X			0	0	0	0	0	0	0	0	0	0	0	1	1
X			0	0	0	0	0	0	0	0	0	0	0	1	3
X			0	0	0	0	0	0	0	0	0	0	0	0	0
X			0	0	1	0	0	0	0	2	0	0	0	0	0
X			0	0	0	0	0	0	0	1	0	0	1	0	0
X	X		0	0	0	0	1	0	0	0	0	0	0	1	2
X	X	X	1	1	1	2	3	0	0	3	0	0	1	0	0
X	X	X	66	12	2	32	23	0	34	1	4	6	1	1	11
X			1	0	0	1	1	0	1	0	0	0	0	0	0
X			0	0	0	0	0	1	5	5	0	3	0	0	0
X			0	0	0	0	0	0	16	0	0	0	0	0	0

Table 2 Continued

Habitat\* Species

AG	CP	S1	10-20	10-21	10-22	10-27	10-28	11-3	11-4	11-9	11-11	11-18	11-24	11-28	11-29
X			0	0	0	0	0	0	0	0	0	0	0	0	0
X			0	0	0	0	0	0	0	0	0	0	0	0	0
X			0	0	0	0	0	0	0	0	0	0	0	0	0
X			0	0	0	0	0	0	1	0	0	0	0	0	0
X			0	0	0	0	0	0	0	0	0	0	0	0	0
X			0	0	0	0	0	0	0	0	0	0	0	0	0
X			0	0	4	0	0	0	0	2	0	0	0	0	0
X			66	0	80	85	121	68	42	72	39	34	36	12	15
X			0	0	0	0	2	0	0	0	0	0	0	0	0
X			0	0	0	0	0	0	0	0	0	0	0	0	0
X			0	0	0	0	1	0	0	0	0	0	0	0	0
X			2	0	0	0	0	0	0	0	0	0	3	0	0
X			0	0	0	2	0	0	0	0	0	0	0	0	0
X			0	0	0	0	0	0	1	0	0	0	0	0	0
X			3	0	0	47	12	35	2	12	16	0	113	0	0
X			0	0	0	0	0	0	0	0	0	0	0	0	0
X			0	0	0	0	0	0	0	0	0	0	0	0	0
X			0	0	0	0	0	5	0	0	0	0	0	0	0
X			1	0	0	0	0	0	0	0	0	0	1	0	0
X			0	0	0	0	0	0	0	0	0	0	0	0	0
X	X		1	0	0	0	1	0	0	0	0	0	0	0	0
X	X	X	1	0	4	2	0	0	0	0	0	0	0	2	2
X	X	X	2	15	36	56	11	5	0	0	108	43	0	15	100
X			0	0	0	0	0	0	0	0	0	0	0	0	0
X			0	0	0	0	0	0	0	0	0	0	0	0	0
X			0	0	0	0	0	0	0	0	0	0	0	0	0



Table 2 Continued

Habitat*			Species												
AG	CP	S1	9-17	9-18	9-21	9-23	9-28	9-29	9-30	10-6	10-7	10-8	10-12	10-13	10-14
	X		Common Raven	0	0	0	0	0	0	0	0	0	0	0	0
	X		Verdin	0	0	0	0	0	0	1	0	0	0	0	0
	X		Bewick's Wren	0	0	0	0	0	0	2	0	0	0	0	0
	X		House Wren	0	0	0	0	0	0	0	0	0	1	0	0
	X		Ruby-crowned Kinglet	0	0	0	0	0	0	1	0	1	4	0	2
	X		Bl.-tailed Gnatcatcher	0	0	0	0	0	0	0	0	0	0	0	1
	X		Hermit Thrush	0	0	0	0	0	0	0	0	1	0	0	0
	X	X	Water Pipit	0	0	0	0	0	0	1	0	0	0	0	0
	X	X	Loggerhead Shrike	0	0	0	0	0	0	5	0	2	0	1	1
	X		European Starling	0	0	0	0	0	0	0	0	16	1	0	0
	X		Warbling Vireo	0	0	0	0	0	0	1	0	1	0	0	0
	X		Orange-crowned Warbler	0	0	0	0	0	0	2	0	0	0	0	0
	X		Nashville Warbler	0	0	0	0	0	1	0	0	0	0	0	0
	X		Yellow-rumped Warbler	0	0	0	0	0	0	2	0	14	43	50	29
	X		B-t Gray Warbler	0	0	0	0	0	1	0	0	0	0	0	0
	X		Common Yellowthroat	0	0	0	0	0	0	0	0	0	1	1	0
	X		Chipping Sparrow	0	0	0	0	0	0	1	0	0	0	0	0
	X		Brewer's Sparrow	0	0	0	0	0	0	1	0	1	1	0	0
	X	X	Lark Sparrow	0	0	0	0	0	0	1	0	2	4	6	4
	X	X	Savannah Sparrow	0	0	0	0	0	1	19	0	3	3	4	6
	X		Lincoln's Sparrow	0	0	0	0	0	0	1	0	1	0	0	0
	X	X	White-crowned Sparrow	0	0	0	0	0	0	55	7	10	0	12	12
	X		Red-Winged Blackbird	0	0	0	0	0	0	0	0	0	0	7	3
	X	X	Western Meadowlark	1	0	0	0	1	0	2	0	0	1	1	5
	X	X	Y-headed Blackbird	0	0	0	1	0	0	0	0	0	0	0	0

Table 2 Continued

Habitat\* Species

AG	CP	S1	10-20	10-21	10-22	10-27	10-28	11-3	11-4	11-9	11-11	11-18	11-24	11-28	11-2	
	X		Common Raven	0	3	0	0	0	0	0	2	0	1	0	0	
	X		Verdin	0	0	0	0	0	0	0	0	0	0	0	0	
	X		Bewick's Wren	0	0	0	0	0	0	0	0	0	0	0	0	
	X		House Wren	0	0	0	0	0	0	0	0	0	0	0	0	
	X		Ruby-crowned Kinglet	0	0	0	0	1	0	0	0	0	0	0	0	
	X		Bl.-tailed Gnatcatcher	0	0	0	0	0	0	0	0	0	0	0	0	
	X		Hermit Thrush	0	0	0	0	0	0	0	0	0	0	0	0	
	X	X	Water Pipit	0	0	0	37	21	65	5	43	11	0	5	15	12
	X	X	Loggerhead Shrike	0	0	1	0	0	0	0	0	0	0	0	0	
	X		European Starling	0	0	0	0	0	0	0	0	0	0	0	0	
	X		Warbling Vireo	0	0	0	0	0	0	0	0	0	0	0	0	
51	X		Orange-crowned Warbler	0	0	0	0	0	0	0	0	0	0	0	0	
	X		Nashville Warbler	0	0	0	0	0	0	0	2	0	0	0	0	
	X		Yellow-rumped Warbler	34	16	1	15	0	2	0	0	4	2	5	0	
	X		B-t Gray Warbler	0	0	0	0	0	0	0	0	0	0	0	0	
	X		Common Yellowthroat	0	0	0	0	0	0	0	0	0	0	0	0	
	X		Chipping Sparrow	0	0	0	0	0	0	0	1	0	0	0	0	
	X		Brewer's Sparrow	0	0	0	0	0	0	0	0	0	0	0	0	
	X	X	Lark Sparrow	0	0	0	0	1	0	0	1	0	0	0	0	
	X	X	Savannah Sparrow	6	6	3	6	4	4	0	11	0	3	0	0	
	X		Lincoln's Sparrow	0	0	0	0	0	0	0	0	0	0	0	0	
	X	X	W-c Sparrow	15	10	20	36	10	12	0	10	30	30	10	13	
	X		Red-winged Blackbird	0	0	0	0	0	0	0	0	0	0	0	0	
	X	X	Western Meadowlark	2	0	1	0	2	7	0	5	5	5	0	5	
	X	X	Y-headed Blackbird	1	6	1	1	1	2	0	1	0	1	0	0	

Table 2 Continued

Habitat*			Species													
AG	CP	S1	9-17	9-18	9-21	9-23	9-28	9-29	9-30	10-6	10-7	10-8	10-12	10-13	10-14	
X	X	X	Brewer's Blackbird	0	0	4	0	5	0	0	10	0	1	2	0	0
X		X	Blackbird species	0	0	0	0	0	0	0	0	0	0	0	0	1
X	X	X	House Finch	0	0	0	0	0	0	2	0	8	0	8	18	
X			Lesser Goldfinch	0	0	0	0	0	0	6	0	3	1	0	3	
			10-20	10-21	10-22	10-27	10-28	11-3	11-4	11-9	11-11	11-18	11-24	11-28	11-29	
X	X	X	Brewer's Blackbird	0	0	0	0	0	0	0	0	0	0	0	0	
X		X	Blackbird species	0	0	0	0	0	0	0	0	0	0	0	0	
X	X	X	House Finch	9	79	83	21	43	106	0	0	103	22	45	20	26
X			Lesser Goldfinch	0	0	0	0	0	0	0	0	0	0	0	0	

\*AG Agricultural fields located between Coolwater Evaporation Ponds and Solar One.  
 CP Cool Water Evaporation Ponds  
 S1 Solar One

From mid-morning on, these birds forage within the agricultural areas performing limited short distance flights while remaining close to the ground. Based on our observations during the fall study period, the Solar One facility will have no detrimental impact on these species.

### Incinerations

Arthropods: In this fall study we continued to observe arthropod incinerations in the standby region (Table 3). Although large numbers of insects were frequently killed during a short period of time, incineration episodes occurred only sporadically. Incinerations occurred on an average of 10.5 per minute. On two days of observations, 18 September and 8 October, we recorded extremely heavy periods of arthropod incinerations. On 8 October, an estimated 800 insects were incinerated during three separate closely spaced 15-second intervals. This is probably a minimum incineration rate for this period, as only a portion of the standby region can be observed at any one time. The relative brightness of most observed incinerations was probably indicative of medium to large insects.

There appeared to be far fewer insect species and lower numbers of individuals during this study than during the previous spring. The lower number of insects in the area during fall was probably a result of lower food availability during this period (See Nagano memo: Appendix II). The most abundant insects during fall were several species of moths which occurred in large concentrations in the alfalfa fields, on

Table 3. Observations of bird flight at the Solar One Facility, Fall 1982.

Observation Period	Total Hours of Observation	Events*/hr.	Species/hr.	Birds/hr.	Flight Direction			H	C	O
					East	West	Other			
AM	22	7	3.4	91	24	54	2	33	16	11
PM	15	6.4	1.2	74	17	8	20	8	31	23

\* An event is a discreet action by one or more birds

H- Birds flew over heliostats

C- Birds flew over cleared field inside power plant

O- Birds flew outside the power plant

blooming tamarisk shrubs (Tamarix ramosissima), and on rabbitbrush (Chrysothamnus nauseosus). The latter two plants are of low density but attract many pollinating insects (moths, bees, wasps, flies, etc.).

Birds: In spring 1982, three birds were incinerated during the five week survey period. During this 12 week fall survey, only one confirmed incineration occurred; a Yellow-rumped Warbler (Dendroica coronata) which was found near the control tower on 29 October with its back, stomach, and tail feathers burned, although the bird was still alive. Another unconfirmed sparrow incineration may have occurred on 20 October. This bird appeared burned and was flying poorly but escaped the pursuer (a plant employee). Avian mortality caused by incineration in the standby regions or the receiver during fall averaged 0.72 birds/month. Twelve additional birds were found on the facility grounds which had apparently died from collisions with facility structures, primarily the heliostat mirrors (4.3 birds/month). Total avian mortality which can be attributed to the Solar One facility averaged 5.1 birds/month.

We located bird parts (wings, heads, or headless bodies) from an additional 38 individuals within the heliostat field, the majority of which were concentrated on the west side (Figure 5). We were unable to determine whether these birds were killed by predators outside the Solar One facility and carried into the heliostat field for consumption or whether the fatalities were attributed to collisions or incinerations within the plant facility and then consumed.




Figure 5.

Heliostat Field with:

- Placement of birds in scavenger removal experiment.
- ⊗ Birds removed by scavenger.
- Location of dead animals and parts found.

### Scavenger Removal Experiment

An experiment was performed to determine possible predator/scavenger removal of dead birds from the heliostat field. A total of 13 birds ranging in size from Western Gull (Larus occidentalis) to House Finch were used in the experiment. On 17 September, between 1045 and 1145 hours, we placed 7 birds 120 m apart in the northwest quadrant of the facility (Figure 5). An additional 6 birds were placed outside the facility confines to the northwest. These birds were placed in salt bush scrub habitat and spaced 120 m apart. By 1500 hrs on that same day, a small bird within the heliostat field had been removed. This was the only bird removed from the facility grounds during the experiment. Outside the fence no birds were missing until the week of 6 October, when 2 birds had disappeared and another had been torn apart and partially consumed. From this experiment it appears that scavenger removal of bird fatalities within the Solar One grounds is minimal and would not effect the overall detection of bird mortality during the fall survey.



## CONCLUSIONS

During the fall study period (17 Sept - 29 Nov) avian mortality from incinerations and collisions with plant structures averaged 5.1 birds/month. This is slightly lower than the mortality rate (5.6 birds/month) recorded during the spring 1982 study period. This decrease may be attributed to the lower abundance of birds observed during fall (274/census vs. 366/census). Peak abundance for a single day was also significantly lower during fall (474 on 4 Nov. vs. 1,040 on 12 May).

The greatest concentration of birds (primarily waterfowl and shorebirds) occurred at the evaporation ponds. The greatest abundance for a single species, the Least Sandpiper (Calidris minutilla) (73/census) also was recorded at these ponds, with Northern Pintail (Anus acuta) (33/census) the second most numerous. The fallow agricultural fields were heavily utilized by birds, primarily large finch flocks, for foraging. Although not included in our censuses, the adjacent irrigated alfalfa fields to the east of Solar One provided foraging habitat for several hundred blackbirds, finches, and sparrows throughout the fall season. The agricultural fields adjacent to the Cool Water ponds had far less concentrations of these species. Although foraging occurred predominately outside the Solar plant, there was periodic use of cleared areas within the facility.

Observations of insect incinerations at the standby points during five days in September and October revealed that an average of 632 insects were killed per hour. The rate of insect incinerations varied greatly from day-to-day and ranged from only one incineration per hour on 21 September to over 5,000 per hour on 8 October. Insect incinerations during fall involved very few species and significant incinerations occurred on only a few days.

Only one bird incineration was documented during the twelve week fall study, in contrast to 3 birds killed during five weeks of censusing during the previous spring. This reduction in bird incinerations may be attributed to the lack of aerial insectivores at this site during fall migration as compared to spring. An additional 12 birds died from collisions with facility structures, mainly heliostat mirrors. These results are comparative to the spring study when 8 birds died from collisions with facility structures. This indicates that collisions with heliostats is the primary cause of avian mortality at a solar generating plant rather than incinerations.

Although the Solar One facility may periodically kill large numbers of insects, the overall impact to wildlife appears to be minimal. Avian mortality in particular is very low and does not warrant major concern to birds at this locality during fall migration. With the lack of suitable habitat for birds characteristic of the Mojave Desert, the man-made habitat (i.e. agricultural fields and Cool

Water ponds) of this site acts as an important attractant to overwintering bird populations and warrants further study during the winter months to assess avian/Solar One interactions.

Appendix I. Comprehensive Species List for Solar One, Fall 1982

Eared Grebe	<u>Podiceps nigricollis</u>
Western Grebe	<u>Aechmophorus occidentalis</u>
American White Pelican	<u>Pelecanus erythrorhynchos</u>
Great Blue Heron	<u>Ardea herodias</u>
Great Egret	<u>Casmerodius albus</u>
Snow Goose	<u>Chen caerulescens</u>
Canada Goose	<u>Branta canadensis</u>
Mallard	<u>Anas platyrhynchos</u>
Northern Pintail	<u>Anas acuta</u>
Cinnamon Teal	<u>Anas cyanoptera</u>
Northern Shoveler	<u>Anas clypeata</u>
Gadwall	<u>Anas strepera</u>
American Wigeon	<u>Anas americana</u>
Bufflehead	<u>Bucephala albeola</u>
Ruddy Duck	<u>Oxyura jamaicensis</u>
Turkey Vulture	<u>Cathartes aura</u>
Northern Harrier	<u>Circus cyaneus</u>
Sharp-shinned Hawk	<u>Accipiter striatus</u>
Red-tailed Hawk	<u>Buteo jamaicensis</u>
Ferruginous Hawk	<u>Buteo ragalis</u>
Golden Eagle	<u>Aquila chrysaetos</u>
American Kestrel	<u>Falco sparverius</u>
Prairie Falcon	<u>Falco mexicanus</u>
Gambel's Quail	<u>Callipepla gambelli</u>
Snowy Plover	<u>Charadrius alexandrinus</u>
Semipalmated Plover	<u>Charadrius semipalmatus</u>
Killdeer	<u>Charadrius vociferus</u>
Black-necked Stilt	<u>Himantopus mexicanus</u>
American Avocet	<u>Recurvirostra americana</u>
Greater Yellowlegs	<u>Tringa melanoleuca</u>
Spotted Sandpiper	<u>Actitis macularia</u>
Marbled Godwit	<u>Limosa fedoa</u>
Sanderling	<u>Calidris alba</u>
Western Sandpiper	<u>Calidris mauri</u>
Least Sandpiper	<u>Calidris minutilla</u>

Appendix I Continued

Baird's Sandpiper	<u>Calidris bairdii</u>
Pectoral Sandpiper	<u>Calidris melanotos</u>
Dunlin	<u>Calidris alpina</u>
Long-billed Dowitcher	<u>Limnodromus scolopaceus</u>
Red-necked Phalarope	<u>Phalaropus lobatus</u>
Bonaparte's Gull	<u>Larus philadelphia</u>
Ring-billed Gull	<u>Larus delawarensis</u>
California Gull	<u>Larus californicus</u>
Herring Gull	<u>Larus argentatus</u>
Mourning Dove	<u>Zenaida macroura</u>
Greater Roadrunner	<u>Geococcyx californianus</u>
Great Horned Owl	<u>Bubo virginianus</u>
Northern Flicker	<u>Colaptes auratus</u>
Say's Phoebe	<u>Sayornis saya</u>
Horned Lark	<u>Eremophila alpestris</u>
Tree Swallow	<u>Tachycineta bicolor</u>
Cliff Swallow	<u>Hirundo pyrrhonota</u>
Barn Swallow	<u>Hirundo rustica</u>
Common Raven	<u>Corvus corax</u>
Verdin	<u>Auriparus flaviceps</u>
Bewick's Wren	<u>Thryomanes bewickii</u>
House Wren	<u>Troglodytes aedon</u>
Ruby-crowned Kinglet	<u>Regulus calendula</u>
Black-tailed Gnatcatcher	<u>Polioptila melanura</u>
Hermit Thrush	<u>Catharus guttatus</u>
Water Pipit	<u>Anthus spinoletta</u>
Loggerhead Shrike	<u>Lanius ludovicianus</u>
European Starling	<u>Sturnus vulgaris</u>
Warbling Vireo	<u>Vireo gilvus</u>
Orange-crowned Warbler	<u>Vermivora celata</u>
Nashville Warbler	<u>Vermivora ruficapilla</u>
Yellow-rumped Warbler	<u>Dendroica coronata</u>
Black-throated Gray Warbler	<u>Dendroica nigrescens</u>
Common Yellowthroat	<u>Geothlypis trichas</u>

Appendix I Continued

Chipping Sparrow	<u>Spizella passerina</u>
Brewer's Sparrow	<u>Spizella breweri</u>
Lark Sparrow	<u>Chondestes grammacus</u>
Savannah Sparrow	<u>Passerculus sandwichensis</u>
Lincoln's Sparrow	<u>Melospiza lincolni</u>
White-crowned Sparrow	<u>Zonotrichia leucophrys</u>
Red-winged Blackbird	<u>Agelaius phoeniceus</u>
Western Meadowlark	<u>Sturnella neglecta</u>
Yellow-headed Blackbird	<u>Xanthocephalus xanthocephalus</u>
Brewer's Blackbird	<u>Euphagus cyanocephalus</u>
Brown-headed Cowbird	<u>Molothrus ater</u>
House Finch	<u>Carpodacus mexicanus</u>
Lesser Goldfinch	<u>Carduelis psaltria</u>

Appendix II

TO: Ralph Schreiber  
FROM: Chris Nagano  
SUBJECT: The effect of the operation of Solar One on insect populations  
DATE: 30 December 1982

GENERAL: Due to the unique nature of Solar One, no data base exists with which to compare this investigation. Additionally, the reaction of diurnal flying insects to a large bright hot object in their immediate surroundings remains unstudied.

OBSERVATIONS: Field work began at 0900 hrs. and ended at 1300 hrs. on 3 November 1982. Observations were made within and around the outside of the perimeter fence of Solar One, at the alfalfa fields located to the south-east of the site and the evaporation ponds to the southwest.

The few flying insects observed inside the Solar One plant were temporary transients, as there is no source of food on site in October, 1981 (Schreiber, pers. comm.). They are the dragonfly Tarnetrum corruptum (based on the identification of dead specimens), a species widespread in southern California that has previously been observed in migrating swarms (Nagano, pers. obs.). This species probably breeds in ponds located in the immediate area used for swimming and for raising catfish (Pat Flanagan, pers. comm.). No ground inhabiting insects were seen, and it is unlikely that any significant native insects inhabit the site.

The only insects observed breeding in the evaporation ponds southwest of Solar One were brine flies (Ephydriidae). A number of species in this family inhabit bodies of extremely saline and hot water. Ephydriids rarely stray from their breeding site, and I do not expect significant numbers will be found at Solar One.

"Pest" butterflies (Colias philodice, Colias eurytheme, and Pieris rapae) breed at the alfalfa fields to the southeast of Solar One. These insects, as well as other insects including Honey Bees (Apis mellifera), native bees, wasps, and flies and an undetermined noctuid moth were observed feeding in large numbers on the flowering bushes next to the southwest side of the power plant.

RESULTS: The primary effect of Solar One appears to be a relatively small reduction in the numbers of diurnal aerial insects resulting from their flying into the top of the tower and being incinerated. This is probably not a serious environmental problem because most insect populations, like many other invertebrates, are composed of extremely large numbers of individuals and thus small reductions are not deleterious.

Based on my observations of the insect fauna surrounding Solar One and on the descriptions of the incinerations, I suspect that in the fall season dragonflies (Tarnetrum corruptum) comprise the bulk of insects destroyed with lesser numbers of diurnal moths, bees, and wasps also being killed.

Another short-term problem involves the attraction of flying aquatic insects who may mistake the shiny mirrors for bodies of water. This would not reduce the numbers of these insects and should be only a temporary inconvenience.

The only long-term effect is a reduction in the diversity and abundance of species as a result of the initial construction of Solar One. The removal of vegetation, erection of structures and associated earth moving no doubt eliminates many populations and numbers of individuals. Habitat destruction has been documented as the primary cause of extinction in insects.

No species of insects known to be under state or federal protection were observed or anticipated at Solar One.

RECOMMENDATIONS: I recommend that, although no short-term problems were observed, field work be done during the peak insect flight periods in the spring (April-May) and fall (September-October). The long-term problem of habitat destruction has already occurred and no mitigation measures can be taken.



### Appendix III

#### Data on animals found dead at Solar One, Fall 1982

- 9/17/82 Coyote pup in advanced state of decay.
- 9/17/82 Yellow-headed Blackbird (Xanthocephalus xanthocephalus), a complete but very old and dessicated specimen.
- 9/17/82 Blackbird sp., a complete but old and dessicated specimen.
- 10/07/82 Blue-winged Teal (Anas discors) found dead on the 2nd level of the Central Receiver Tower. Apparently collided with tower.
- 10/12/82 Red-necked Phalarope (Phalaropus lobatus). Probable heliostat fatality.
- 10/20/82 Savannah Sparrow (Passerculus sandwichensis). A fresh specimen found dead beneath heliostat with the tip of the lower mandible broken.
- 10/20/82 A sparrow-sized bird with singed wing and tail feathers was observed in the SE quadrant. The bird was flying poorly but escaped the observer and was not seen subsequently.
- 10/22/82 A hummingbird sp. (carcus very old) was found under the west standby point. It was not possible to tell cause of death.
- 10/27/82 White-crowned Sparrow (Zonotrichia leucophrys) found near the Condensate Tank with fresh blood on side of the bill.
- 10/27/82 Savannah Sparrow (Passerculus sandwichensis). Probable heliostat fatality.
- 10/29/82 Yellow-rumped Warbler (Dendroica coronata) found adjacent to the Control Tower. The back, breast, and tail feathers were singed, however the bird was still alive.

11/02/82 Savannah Sparrow (Passerculus sandwichensis) found under the south standby point. Specimen was very old and no singed feathers were evident.

11/04/82 Dark-eyed Junco (Junco hyemalis) found with no obvious injury. Probable heliostat fatality.

Identifiable bird parts attributed to unknown predators

Eared Grebe	<u>Podiceps nigricallis</u>	3 parts
Black-necked Stilt	<u>Himantopus mexicanus</u>	2 parts
American Avocet	<u>Recurvirostra americana</u>	1 part
Bonaparte's Gull	<u>Larus philadelphia</u>	1 part
Mourning Dove	<u>Zenaida macroura</u>	1 part
Horned Lark	<u>Eremophila alpestris</u>	2 parts
European Starling	<u>Sturnus vulgaris</u>	1 part
Brewer's Blackbird	<u>Euphagus cyanocephalus</u>	4 parts
House Finch	<u>Carpodacus mexicanus</u>	4 parts

U.S. DEPARTMENT OF ENERGY  
**memorandum**

DATE **OCT 21 1983**

REPLY TO  
ATTN OF

S. D. Elliott, Jr., Director, DOE Site Office, Daggett, CA

SUBJECT

Submission of Three Reports under Cooperative Agreement DE-FC03-77SF10501 for Patent Clearance, DOE/SAN Mail & Records and DOE/TIC Distribution

TO

Don Holz, Technical Information Coordinator, DOE/SAN (ISEA)  
Roger Gaither, DOE/SAN (OPC)  
DOE/SAN Mail File & Records (ISEA)  
DOE/TIC - Document Control


Attached are three copies each of three reports prepared by Southern California Edison Company under the Subject Cooperative Agreement:

- o DOE/SF/10501-TR01 (STMPO-091) - Wildlife Interactions...Spring 1982
- o <sup>302</sup>DOE/SF/10501-~~TR02~~ (STMPO-603) - Wildlife Interactions...Fall 1982
- o DOE/SF/10501-FS01 (STMPO-602) - Fact Sheet: Solar 10-MWe Pilot Plant (Rev. 2)

One copy of each report, accompanied by SAN Form 70, is for processing by OPC; following patent clearance, this copy is to be deposited in Mail & Records in the contract file for Cooperative Agreement DE-FC03-77SF10501.

Two copies of each report, accompanied by DOE Form RA-426, are to be forwarded to TIC for routine announcement and distribution to Subject List UC-62 under the indicated Report Number DOE/SF/10501-XXxx. (The report number suffix identifies the various classes of documents generated under this Cooperative Agreement and the serial document number in each class, viz: (OMxx = Operation & Maintenance Report; VC = Visitor's Center Report; TR = Topical Report; FS = Fact Sheet; etc.) The Secondary Report Number (STMPO-xxx) identifies the report in a serial sequence among all reports produced over the life of the 10-MWe Pilot Plant Project, as well as selected background reports; this STMPO-xxx designation will be used as the primary Report Number for reports generated by the DOE Project Office. A Bibliography of STMPO reports 001 through -555 is in final preparation and will be provided to ISEA and TIC for reference when it becomes available at the end of 1983. An update to the Bibliography will be issued at the end of 1984, covering Reports STMPO-600 and subsequent issues.


Please call on me at the Site Office, P.O. Box 366, Daggett, CA 92327 ((619) 254-2672) for any clarification or further information you may require.

  
S. D. Elliott, Jr., Director,  
DOE Project Office, Barstow

cc: Sunny Cherian, DOE/HQ (CE-314)  
Bob Hughey, DOE/SAN (FGS)  
Paul Skvarna, SCE R&D  
Duncan Tanner, SNLL 8452  
Mary Soderstrum (Burns & McDonnell)

DOE AND MAJOR CONTRACTOR RECOMMENDATIONS FOR  
ANNOUNCEMENT AND DISTRIBUTION OF DOCUMENTS

See Instructions on Reverse Side

1. DOE Report No. DOE/SF/10501-TRO2 (STMP0-603)	2. Contract No. DE-FC03-77SF10501	3. Subject Category No. UC-62
4. Title WILDLIFE INTERACTIONS AT SOLAR ONE FACILITY, DAGGETT, CA.: FALL 1982 INTERIM REPORT		
5. Type of Document ("x" one) <input checked="" type="checkbox"/> a. Scientific and technical report <input type="checkbox"/> b. Conference paper: Title of conference _____  <div style="text-align: right;">Date of conference _____</div> Exact location of conference _____ Sponsoring organization _____ <input type="checkbox"/> c. Other (specify planning, educational, impact, market, social, economic, thesis, translations, journal article manuscript, etc.) _____		
6. Copies Transmitted ("x" one or more) <input type="checkbox"/> a. Copies being transmitted for standard distribution by DOE-TIC. <input type="checkbox"/> b. Copies being transmitted for special distribution per attached complete address list. <input checked="" type="checkbox"/> c. Two completely legible, reproducible copies being transmitted to DOE-TIC. (Classified documents, see instructions) <input type="checkbox"/> d. Twenty-seven copies being transmitted to DOE-TIC for TIC processing and NTIS sales.		
7. Recommended Distribution ("x" one) <input checked="" type="checkbox"/> a. Normal handling (after patent clearance): no restraints on distribution except as may be required by the security classification. Make available only <input type="checkbox"/> b. To U.S. Government agencies and their contractors. <input type="checkbox"/> c. within DOE and to DOE contractors. <input type="checkbox"/> d. within DOE. <input type="checkbox"/> e. to those listed in item 13 below. <input type="checkbox"/> f. Other (Specify) _____		
8. Recommended Announcement ("x" one) <input checked="" type="checkbox"/> a. Normal procedure may be followed. <input type="checkbox"/> b. Recommend the following announcement limitations: _____		
9. Reason for Restrictions Recommended in 7 or 8 above. <input type="checkbox"/> a. Preliminary information. <input type="checkbox"/> b. Prepared primarily for internal use. <input type="checkbox"/> c. Other (Explain) _____		
10. Patent, Copyright and Proprietary Information Does this information product disclose any new equipment, process or material? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes If so, identify page nos. _____ Has an invention disclosure been submitted to DOE covering any aspect of this information product? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes If so, identify the DOE (or other) disclosure number and to whom the disclosure was submitted. Are there any patent-related objections to the release of this information product? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes If so, state these objections. Does this information product contain copyrighted material? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes If so, identify the page number _____ and attach the license or other authority for the government to reproduce. Does this information product contain proprietary information? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes If so, identify the page numbers _____ ("x" one <input type="checkbox"/> a. DOE patent clearance has been granted by responsible DOE patent group. <input checked="" type="checkbox"/> b. Document has been sent to responsible DOE patent group for clearance. <span style="float: right;">DOE/SAN OPC</span>		
11. National Security Information (For classified document only; "x" one) Document <input type="checkbox"/> a. does <input type="checkbox"/> b. does not contain national security information		
12. Copy Reproduction and Distribution Total number of copies reproduced <u>25</u> Number of copies distributed outside originating organization <u>None</u>		
13. Additional Information or Remarks (Continue on separate sheet, if necessary)		
14. Submitted by (Name and Position) (Please print or type) <u>S. D. Elliott, Jr., Director</u> Organization _____ DOE Solar One Site Office, P.O. Box 366, Daggett, CA 92327; ph. (619) 254-2672 Signature  Date <u>21 October, 1983</u>		



DEPARTMENT OF ENERGY  
SAN FRANCISCO OPERATIONS OFFICE

CONTRACTOR REQUEST FOR PATENT CLEARANCE  
FOR RELEASE OF UNCLASSIFIED DOCUMENT

Prime Contract No. DE-FC03-77SF10501
Subcontract No.
Report No. DOE/SF/10501-TR02 (STMP0-603)
Date of Report September 1983
Name & Phone No. of DOE Technical Representative S. D. Elliott, Jr. (619) 254-2672

TO: (1) Roger S. Gaither, Asst. Chief for Prosecution  
Office of Patent Counsel/Livermore Office  
P.O. Box 808, L-376  
Livermore, California 94550

(2) DOE/SAN Mail & Records; File SF10501

FROM: 10-MWe Central Receiver Solar Thermal Pilot  
Plant Project Office  
Post Office Box 366  
Daggett, CA 92327

- Document Title:  
Wildlife Interactions at Solar One Facility, Daggett, CA: Fall 1982 Interim Report
- Type of Document:  Technical Report,  Conference Paper,  Journal Article,  Abstract or Summary,  
 Copy of Oral Presentation,  Other (please specify): \_\_\_\_\_
- In order to meet a publication schedule or submission deadline, patent clearance by (routine) would be desired.

SENDER IS TO CHECK BOX #4 OR #5 BELOW.

4. I have reviewed (or have had reviewed by technically knowledgeable personnel) this document for possible inventive subject matter (Subject Inventions) and that no inventions or discoveries (Subject Inventions) are deemed to be disclosed in this document except as stated below:
- Attention should be directed to pages \_\_\_\_\_ of this document.
  - This document describes matter relating to an invention:
    - Contractor Invention Docket No. \_\_\_\_\_
    - A disclosure of the invention was submitted to DOE on \_\_\_\_\_ (date)
    - A disclosure of the invention will be submitted shortly \_\_\_\_\_ (approximate date)
    - A waiver of DOE's patent rights to the contractor:
      - has been granted,  has been applied for; or  will be applied for \_\_\_\_\_ (date)
5. This document is being submitted, but no review has been made of this document for possible inventive subject matter.

6. Remarks: Please return sender's copy to DOE Tech. Rep. at above address


Reviewing/Submitting Official: Name (Print/Type) Paul E. Skvarna  
 Title SCE R&D Site Manager  
 Signature Paul E. Skvarna Date Oct 20, 1983

TO: INITIATOR OF REQUEST

FROM: ASSISTANT CHIEF FOR PROSECUTION  
Office of Patent Counsel/Livermore Office

- No patent objection to above-identified release.
- Please defer release until advised by this office.

Signed \_\_\_\_\_ Date Mailed \_\_\_\_\_



DEPARTMENT OF ENERGY  
SAN FRANCISCO OPERATIONS OFFICE

CONTRACTOR REQUEST FOR PATENT CLEARANCE  
FOR RELEASE OF UNCLASSIFIED DOCUMENT

Prime Contract No. DE-FC03-77SF10501
Subcontract No.
Report No. DOE/SF/10501-TR02 (STMPD-603)
Date of Report September 1983
Name & Phone No. of DOE Technical Representative S. D. Elliott, Jr. (619) 254-2672

(1) Roger S. Gaither, Asst. Chief for Prosecution  
Office of Patent Counsel/Livermore Office  
P.O. Box 808, L-376  
Livermore, California 94550

(2) DOE/SAN Mail & Records; File SF10501

FROM: 10-MWe Central Receiver Solar Thermal Pilot  
Plant ProjecttOffice  
Post Office Box 366  
Daggett, CA 92327

1. Document Title:  
Wildlife Interactions at Solar One Facility, Daggett, CA: Fall 1982 Interim Report

2. Type of Document:  Technical Report,  Conference Paper,  Journal Article,  Abstract or Summary,  
 Copy of Oral Presentation,  Other (please specify): \_\_\_\_\_

3. In order to meet a publication schedule or submission deadline, patent clearance by (routine)  
would be desired.

**SENDER IS TO CHECK BOX #4 OR #5 BELOW.**

4. I have reviewed (or have had reviewed by technically knowledgeable personnel) this document for possible inventive subject matter (Subject Inventions) and that no inventions or discoveries (Subject Inventions) are deemed to be disclosed in this document except as stated below:

a. Attention should be directed to pages \_\_\_\_\_ of this document.

b. This document describes matter relating to an invention:

- i. Contractor Invention Docket No. \_\_\_\_\_
- ii. A disclosure of the invention was submitted to DOE on \_\_\_\_\_ (date)
- iii. A disclosure of the invention will be submitted shortly \_\_\_\_\_ (approximate date)
- iv. A waiver of DOE's patent rights to the contractor:  
 has been granted,  has been applied for; or  will be applied for \_\_\_\_\_ (date)

5. This document is being submitted, but no review has been made of this document for possible inventive subject matter.

6. Remarks: Please return sender's copy to DOE Tech. Rep. at above address

Reviewing/Submitting Official: Name (Print/Type) Paul E Skvarna  
Title SCE R&D Site Manager  
Signature Paul E Skvarna Date Oct 20, 1983

TO: INITIATOR OF REQUEST

FROM: ASSISTANT CHIEF FOR PROSECUTION <sup>X</sup>  
Office of Patent Counsel/Livermore Office

No patent objection to above-identified release.

Please defer release until advised by this office.

Signed Harold M. Wipon Date Mailed 11/14/83